10/501295 DT04 Rec'd PCT/PT0 1 2 JUL 2004

Appendix A

.. 🍹

Claim Amendments

- 1. (Currently amended) Inclusion complex formed element A and element B, wherein element A is chosen pantoprazole, a solvate of pantoprazole, a from hydrate of pantoprazole, a salt of pantoprazole with a base, a solvate of a salt of pantoprazole with a base, a hydrate of a salt of pantoprazole with a base, an enantiomer of pantoprazole, a solvate of an enantiomer of pantoprazole, a hydrate of an enantiomer of pantoprazole, [[or]] a salt of an enantiomer of pantoprazole, a solvate of a salt of an enantiomer of pantoprazole, a hydrate of a salt of an enantiomer of pantoprazole, or a mixture thereof; and element B is chosen from cyclodextrin, a hydrate of cyclodextrin, a derivative of cyclodextrin or a mixture thereof.
- 2. (Currently amended) Inclusion complex according to claim 1 formed of wherein element A is chosen from pantoprazole sodium sesquihydrate (= pantoprazole sodium x 1.5 H_2O), (-)-pantoprazole sodium

sequihydrate, [[or]] pantoprazole magnesium dihydrate or a mixture thereof.

- 3. (Currently amended) Inclusion complex according to claim 1 or 2, wherein element B the cyclodextrin is β -cyclodextrin.
- 4. (Currently amended) Method of <u>preparing preparation of</u> an inclusion complex according to <u>claim 1 comprising</u> any of <u>claims 1 to 3 by</u> reacting <u>element A with element B pantoprazole with the cyclodextrin</u> in a suitable solvent.
- 5. (Currently amended) Method according to claim 4, wherein the solvent is essentially ethanol.
- 6. (Currently amended) Inclusion complex <u>prepared by the</u>

 <u>method obtainable</u> according to claim 4.
- 7. (Currently amended) Inclusion complex according to claim 1, which is a 1/1 (pantoprazole/cyclodextrin) inclusion complex.
- 8. (Currently amended) Administration form comprising an

inclusion complex according to <u>claim 1</u> any of <u>claims 1</u> to $\frac{3}{4}$ together with $\frac{1}{4}$ suitable pharmaceutical auxiliaries auxiliary.

9. (Canceled)

- 10. (Currently amended) Method of treating or preventing a condition treatable or preventable with a pyridine2ylmethylsulfinyl-1H-benzimidazole, which comprises administering to a subject prone to or afflicted with a condition a pharmaceutically acceptable administration form according to claim 8 comprising [[an]] therapeutically effective amount of the pantoprazole inclusion complex.
- 11. (New) Inclusion complex according to claim 2 wherein element B is β -cyclodextrin.
- 12. (New) Method of preparing an inclusion complex according to claim 1 comprising reacting element A with element B in a suitable solvent.
- 13. (New) Method of preparing an inclusion complex according to claim 3 comprising by reacting element A

with element B in a suitable solvent.

- 14. (New) Administration form comprising an inclusion complex according to claim 2 together with a suitable pharmaceutical auxiliary.
- 15. (New) Administration form comprising an inclusion complex according to claim 3 together with a suitable pharmaceutical auxiliary.